


Invoice to:	
Name:	
Name: Street: Town:	
Town:	Postal code:
E-Mail:	
Tel:	Fax:

Order date: Purchase order: Number required:

> Base Pricing £1,375



Marked for:

Sunrise order no:

Fax number: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

Crash tested & Passed

Max. user weight: 125kg

CLIENT MEASUREMENT

				S	eat wid	th (cm)			
		34	36	38	40	42	44	46	48
	36	0	0	0	0	0	0	0	0
(u	38	0	0	0	0	0	0	0	0
(cm)	40	0	0	0	0	0	0	0	0
oth	42	0	0	0	0	0	0	0	0
depth	44	0	0	0	0	0	0	0	0
Seat	46	0	0	0	0	0	0	0	0
Š	48	0	0	0	0	0	0	0	0
	50	0	0	0	0	0	0	0	0

Reference Only	
----------------	--

Frame Le	ngth Matrix
Seat Depth	Frame Length
36 - 40cm	Short
42 - 44cm	Medium
46 - 48cm	Long
50cm	Extra Long

		Fork (mm)	39	40	41	42	43	44	45	46	47	48	49	50
	4"	Short (143)	0	0		0	0	0						
	4	Long (168) narrow				0	0	0	0		0			
		Short (143)	0	0	0	0	0	0	0					
tor	5"	Long (168) narrow				0	0	0	0	0		0		
Castor		Long (168) wide				0	0	0	0	0		0		
Front (Short (143)	0	0		0	0	0	0	0	0			
Fre	6"	Long (168)				0	0		0	0	0	0	O(1)	
		Long (168) wide				0	0		0	0	0	0	O(1)	
	7"	Long (168) wide						0	0		0	0	0	0

Max. difference front/ rear seat height: 0 - 11 cm

Rear seat height (cm)

Wheels	36	37	38	39	40	41	42	43	44	45
22"	0	0	0	0	0		0	0		
24"			0	0		0	0	0	0	0

(1) Not available with 6" Soft Castor

																Г	£
	SE/	AT UPHO	LSTER	Y													
	Sea	t sling													(with pad)	-
LIR020008	0	Seat sling	adjustat	ole													
LIR020009		Seat sling	adjustab	le, with	one utili	ty bag											26
LIR020000	0	without sea	at sling														
	Seat	Seat cush	ion with	ı cover	, black												
		a) Foam c	omposite	3	Thickne	SS: (LIR	2020101)		3cm				5cm (L	.IR020102)	((medium)	57
LIF030123		b) Latex			Thickne	ss: (LIR	2020103)		5cm				8cm (l	.IR020104)	(1	very soft)	57
	Seat	Seat cush	ion with	ı water				cover									
LIF030124		a) Foam c	omposite	3	Thickne	SS: (LIR	2020105)		3cm				5cm (l	.IR020106)	((medium)	119
LIF030125		b) Latex			Thickne	SS: (LIR	2020107)		5cm				8cm <i>(L</i>	.IR020108)	(1	very soft)	119
	JAY	Cushions														<u> </u>	
JAY020002		JAY Basic															55
JAY020003		JAY Soft C															77
JAY020001		JAY Easy															132
JAY020007		JAY Easy	Fluid, Cu	urved B	ase												308
JAY020004		JAY Lite															215
	Seat	accessori	es													<u> </u>	
LIR090018		Positioning															54
LIR020150		Spare cus	hion cov	er with	zipper												44
	BA	CKREST															
								-	-								
Backrest H		-		- 30			- 35		3	5 - 40			- 45				
Back heig	ht set	at (cm)	0	25		0	30		0	35		0	40				
			0	27.5		0	32.5		0	37.5		0	42.5				
			0	30		0	35		0	40		0	45				
LIR030015	0	Foldable A	ngle Ad	ustable	Back - I	ore-set	at 0° (o	r chose	e from	the belo	w)						
		L	IR030512	0	-12°	L	IR030518	1	0 -	-8°		LIR030	514	0 -4°	(Set	t forward)	
						L	IR030504	!	04	4°		LIR030	508	0 8°	(\$	Set back)	
LIR030001	0	Fixed Bac	k - set at	0°													
LIR030102		Double loc	king (loo	king in	folded p	osition))							(only witl	foldable angle	adj back)	50
		h handles														<u> </u>	
LIR030201	0	Integral pu	ish hand	les lonç	9												
LIR030202	0	Integral pu	ish hand	les sho	rt												
LIR030200	0	Omit push	handles	,													
LIR030203		Fold-down	push ha	andles										(onl	/ from back heig	ht 30cm)	135
LIR030204		Height adj	push ha	ndles										(only	from back heigl	ht 30 cm)	198
LIR030205		JAY Hardv	vare heig	jht adj.	push ha	ndles								(only	from back heigl	ht 30 cm)	198
	Bac	krest uphol	lstery (b	lack)													
LIR030316	0	EXO Back	rest sling	g, synth	etic fibre	, padd	ed, adju	stable,	1 acce	essory b	ag, bla	ack					
		Colou	r, bindin	g tape:		(Blac	k	0	Orange	(O Silve	er	O Red	O Blu	ue	
LIR030317		EXO PRO	Backr. s	ling, sy	nthetic fi	bre, pa	idded, a	dj., bre	athabl	e space	r fabric	c, acce	essory b	ag, black			136
		Colou	r, bindin	g tape:		(Blac	k	0	Orange	(O Silve	er	O Red	O Blu	ue	
LIR030300	0	Without ba	ackrest u	pholste	ery												
		J3 back															
	JAY	3 - Shallow	Contou	ır													
	Mid	Thoracic:							Med	ium 34 c	cm (J3	SCMTM	34)	🗆 Tall 🕄	38 cm (J3SCM	TT38)	506
		er Thoracic:		Short 4	42 cm <i>(J</i> 3	SCUTS	42)] Med	ium 46 c	cm (J35	SCUTM	M46)	🗆 Tall :	50 cm <i>(J</i> 3SCU	TT50)	572
	JAY	3 - Mid Cor	ntour														
	Mid	Thoracic:								ium 34 c					38 cm (J3MCM		506
		er Thoracic:		Short 4	42 cm <i>(J</i> 3	BMCUTS	42)		Med	ium 46 c	cm (J3N	ЛСИТМ	46)	□ Tall :	50 ст <i>(Јзмс</i> и	ITT50)	572
	JAY	3 - Deep Co	ontour														
	Upp	er Thoracic:		Short 4	42 cm <i>(J</i> 3	BDCUTS	42)		Med	ium 46 c	cm (J3E	DCUTM4	46)	□ Tall :	50 cm (J3DCU	TT50)	627
	JAY	3 - Mid Dee	p Conto	our													
	Mid	Thoracic:			Short - 3	30 cm						Tall -	38 cm				627
	Upp	er Thoracic:						Mediu	m - 46	cm							627
	JAY	Easy Post	erior De	ep Con	tour												
	Mid	Thoracic:										Tall -	38 cm				627
	Upp	er Thoracic:						Mediu	m - 46	cm							627
JAY030004		JAY Flip B	ack Hea	drest (.	J3EUHDI	FH & J	3EUHDL	SP)							(only with JAY	3 backs)	255

	<u>[</u>	£
	ARMREST AND SIDEGUARDS	
.IR040052	□ Tool height adjustable (depth adjustable armpad) (Lightweight option)	119
IR040050	Height adjustable Armrest - Short Armpad (25cm) (not in combination with sideguards; only with 0° and 1° camber)	135
IR040051	□ Height adjustable Armrest - Long Armpad (36cm) (not in combination with sideguards; only with 0° and 1° camber)	135
	Sideguards (not in combination with armrest)	
IR040107	O Composite detachable	
.IR040102	□ Aluminium without fender (effective seat width is sw + 2cm)	152
.IR040103	□ Aluminium with fender (only from rear seat height 41 cm; effective seat width is sw + 2cm)	152
	FRAME	
LIR010010	O Fixed front frame 75° LIR010011 O Fixed front frame 85° (LLL from 34 cm)	
LIR010016	□ Active fixed front frame - 2cm inset (only with 85° fixed front frame) (LLL from 34 cm)	135
LIR010015	O Swing-away front frame	
	LEGRESTS FOR SWING AWAY FRONT FRAME	
	Lightweight legrest (Xenon type) (LLL 36 - 47cm) LIR050002 O 70° LIR050001 O 80°	
IR050008	Pair	64
IR050006	Left	37
LIR050007	Right	37
	Composite Legrest (HeliX type) (LLL 36 - 47cm) LIR060002 O 70° LIR060001 O 80°	
LIR050005	O Pair	
LIR050003	O Left	
LIR050004	O Right	
	Elevating Legrest (ELR)	
LIR050011	Pair Not in combination with aluminium platform footplate, not with SW 34 and 36 cm	235
LIR050009	□ Left	118
IR050010	□ Right	118
	FOOTPLATES	
	Footrests (For fixed front frame or Swing away legrests)	
LIR050020	O Divided angle adjustable composite (pair; from LLL 33 cm; only from SW 36cm)	
LIR050022	□ Aluminium Footplate divided (from LLL 35 cm)	102
LIR050023	Aluminium Footplate platform (from LLL 35 cm; not in combination with ELR)	135
LIR050126	Swing-away mechanism for platform footplate (from LLL 39 cm)	169
	Footrests (only with fixed front frame)	
LIR050025	Composite Platform footrest lightweight angle & depth adjustable (LLL between 36 cm - 47 cm)	136
LIR050024	□ Aluminium Platform footrest lightweight angle & depth adjustable (LLL between 36 cm - 47 cm)	136
LIR050127	□ Foot positioning plate (only with LIR050025/050024/050032)	62
LIR050032	□ Platform footplate lightweight angle & depth adjustable composite, flip-up (not with swing-away frame) (from LLL 33 cm)	325
LINGOODOL		020
	Lower leg length (LLL)	
	O 33 O 34 O 35 O 36 O 37 O 38	-
	O 39 O 40 O 41 O 42 O 43 O 44	
	0 45 0 46 0 47	
	CENTER OF GRAVITY (COG) measured from front of back post; choose only one option	
COG23	• Centre of gravity (COG) 2.3 cm	
COG43	 Centre of gravity (COG) 2.5 cm Centre of gravity (COG) 4.3 cm 	
COG63	O Centre of gravity (COG) 4.3 cm	
COG83	 Centre of gravity (COG) 8.3 cm Centre of gravity (COG) 8.3 cm 	
	Anti-tip tubes, swing-away (choose either tip assist or anti-tip tubes, not both)	
IR090036	Lightweight Anti-tip - swing-away (pair)	136
	 Anti-Tip, Swing-away - Right Anti-Tip, Swing-away - Left 	69 60
.IR090004		69 136
.IR090004 .IR090005		
LIR090004 LIR090005 LIR090006	Anti tip swing away pair	130
LIR090004 LIR090005 LIR090006	Anti tip swing away pair Tip assist (step tube) & Crutch holder (choose either tip assist or anti- tip tubes, not both)	
LIR090004 LIR090005 LIR090006 LIR090001	□ Anti tip swing away pair Tip assist (step tube) & Crutch holder (choose either tip assist or anti- tip tubes, not both) □ Tip assist left LIR090002 □ Tip assist right	39
IR090004 IR090005 IR090006 IR090001 IR090003	□ Anti tip swing away pair Image: Crutch holder (choose either tip assist or anti- tip tubes, not both) □ Tip assist left LIR090002 □ Tip assist right □ Tip assist pair Image: Crutch holder Image: Crutch holder	39 75
LIR090004 LIR090005 LIR090006	Anti tip swing away pair Image: Crutch holder (choose either tip assist or anti- tip tubes, not both) Tip assist left LIR090002 Tip assist right Tip assist pair Image: Crutch holder (only in combination with tip assist)	39
IR090004 IR090005 IR090006 IR090001 IR090003	 Anti tip swing away pair Tip assist (step tube) & Crutch holder (choose either tip assist or anti- tip tubes, not both) Tip assist left LIR090002 I Tip assist right Tip assist pair Crutch holder (only in combination with tip assist) Frame accessories	39 75
LIR090004 LIR090005 LIR090006 LIR090001 LIR090003	Anti tip swing away pair Image: Construct of the second secon	39 75
.IR090004 .IR090005 .IR090006 .IR090001 .IR090003 .IR090009	 Anti tip swing away pair Tip assist (step tube) & Crutch holder (choose either tip assist or anti- tip tubes, not both) Tip assist left LIR090002 I Tip assist right Tip assist pair Crutch holder (only in combination with tip assist) Frame accessories	39 75 195

.IR090211	Pron	aration for ATTITUDE Add-On bike (Only with FF-Frame)	£
		without ATTITUDE order (docking pins assembled)	90
R090212	0	with ATTITUDE order (docking pins assembled; ATTITUDE order separately)	00
2000204	CAS		
R080301	0	Solid	
IR080302	0	Soft (only for 5" & 6" castors; only with fork wide. Max SH 48cm)	
IR080305	0	Pneumatic (only for 6" & 7" castors)	
	REA	R WHEELS (compare with your choice on the first page; choose only one wheel type)	
IR070001	0	Universal Cross spoked (only 24")	
IR070002	0	Design wheel (only 24")	
IR070003		Lightweight wheel	206
IR070005		Spinergy wheels 18 spokes (24" only; only with alu anodized handrim)	463
IR070008		Drum brake wheel (not with COG 2.3 cm, only with height adj push handles)	316
R070000	0	Without wheels	510
	TYR		
IR070101	0	Pneumatic (Schwalbe Right Run)	
IR070102	0	Solid tyres (not with lightweight or spinergy wheels)	
IR070104		Marathon plus evolution (puncture resistant) (only 24")	89
		MIGO	_
IR070202		DRIM Aluminium silver anodized	
IR070202	0		
			50
IR070204		Stainless steel (not with spinergy wheels)	56
IR070200	0	Omit handrim (not with spinergy wheels)	
IR070203		Aluminium colour powder coated (not with spinergy wheels)	64
IR070207		Supergrip (not with spinergy wheels)	229
IR070208		Max Grepp (not with spinergy wheels)	206
	HAN	D RIM MOUNTING	
.IR070307	HAN O	D RIM MOUNTING Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel)	
IR070307 IR070317			
	0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel)	
IR070317	0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel)	
IR070317 IR070327	0 0 0 WHE	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EL CAMBER (choose only one option)	
IR070317 IR070327 IR070600	0 0 0 WHE 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm Wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EL CAMBER (choose only one option) Wheel camber 0° (choose only one option)	
IR070317 IR070327 IR070600 IR070601	0 0 0 WHE 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) ELCAMBER (choose only one option) Wheel camber 0° wheel and 20" Wheel camber 1° LIR070603 O	
IR070317 IR070327 IR070600 IR070601	0 0 0 WHE 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm Wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EL CAMBER (choose only one option) Wheel camber 0° (choose only one option)	
IR070317 IR070327 IR070600 IR070601	0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) ELCAMBER (choose only one option) Wheel camber 0° wheel and 20" Wheel camber 1° LIR070603 O	
IR070317	0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EL CAMBER (choose only one option) Wheel camber 0° (wheel camber 1° Wheel camber 1° LIR070603 O Wheel camber 2° LIR070604 O	123
IR070317 IR070327 IR070600 IR070601 IR070602	0 0 0 0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° wheel camber 1° Wheel camber 1° LIR070603 O Wheel camber 2° LIR070604 O Wheel camber 2° LIR070604 O KE GUARDS (not with spinergy wheels)	123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070631	○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (wheel camber 3° Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° KE GUARDS (not with spinergy wheels) Transparent (not with spinergy wheels)	123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824 IR070822	○ ○ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm wide = 27mm Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° KE GUARDS (not with spinergy wheels) Transparent Racing LIR070801	123 123
R070317 R070327 R070600 R070600 R070602 R0708031 R070824 R070822 R070811	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° (not with spinergy wheels) Transparent Racing LIR070801 Abstract LIR070806 Chrome wheel Pool LIR070820 Oriental LIR070809 Dirt Race	123 123 123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824 IR070822 IR070811 IR070814	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with lightweight and drumbrake wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (wheel camber 3° Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° (not with spinergy wheels) Transparent (not with spinergy wheels) Racing LIR070801 Abstract LIR070806 Chrome wheel Pool LIR070820 Oriental LIR070809 Dirt Race Feather LIR070817 Hot wheels LIR070802 Basketball	
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824 IR070822 IR070811 IR070814	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with lightweight and drumbrake wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° (not with spinergy wheels) Transparent Racing LIR070801 Abstract LIR070806 Chrome wheel Pool LIR070801 Abstract LIR070809 Dirt Race Feather LIR070807 Creative LIR070802 Basketball Graffiti LIR070807 Creative LIR070827 Silk	123 123 123 123
R070317 R070327 R070600 R070600 R070602 R070824 R070824 R070822 R070811 R070814 R070828	 O O	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° LIR070603 ○ Wheel camber 3° Wheel camber 2° LIR070604 ○ Wheel camber 4° (not with spinergy wheels) Transparent Racing LIR070801 □ Abstract LIR070806 □ Chrome wheel Pool LIR070801 □ Abstract LIR070802 □ Basketball Graffiti LIR070807 □ Creative LIR070802 □ Basketball Graffiti LIR070812 □ Flying water LIR070803 □ Basketball 2	123 123 123 123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824 IR070811 IR070814 IR070814 IR070828 IR070828	 O O	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° L/R070603 Wheel camber 3° Wheel camber 2° L/R070604 Wheel camber 4° KE GUARDS Transparent (not with spinergy wheels) Racing L/R070801 Abstract L/R070806 Chrome wheel Pool L/R070801 Abstract L/R070802 Basketball Graffiti L/R070807 Creative L/R070802 Basketball Graffiti L/R070807 Creative L/R070803 Basketball 2 (choose only one option) Push-to-Lock (1)	123 123 123 123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824 IR070811 IR070814 IR070814 IR070828 IR060005 IR060005	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° L/R070603 ○ Wheel camber 3° Wheel camber 2° L/R070604 ○ Wheel camber 4° (not with spinergy wheels) Transparent (not with spinergy wheels) Racing L/R070801 □ Abstract L/R070809 □ Dirt Race Pool L/R070807 □ Creative L/R070802 □ Basketball Graffiti L/R070807 □ Creative L/R070803 □ Basketball 2 EL LOCKS (choose only one option) Push-to-Lock (1) (in combination with SA frame short and 24" wheel -> only with COG 2.3)	123 123 123 123 123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824 IR070814 IR070814 IR070814 IR070828 IR060005 IR060005 IR060001 IR060002	 O WHE O O O SPO O <l< td=""><td>Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° (not with spinergy wheels) Transparent (not with spinergy wheels) Racing LIR070801 Abstract LIR070806 Chrome wheel Pool LIR070807 Oriental LIR070802 Basketball Graffiti Graffiti LIR070807 Creative LIR070803 Basketball 2 E EL LOCKS (choose only one option) Push-to-Lock (1) (in combination with SA frame short and 24" wheel -> only with COG 2.3) Knee lever wheel lock (1) (in combination with SA frame short and 24" wheel -> only with COG 2.3)</td><td>123 123 123 123 123 123 123</td></l<>	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° LIR070603 Wheel camber 3° Wheel camber 2° LIR070604 Wheel camber 4° (not with spinergy wheels) Transparent (not with spinergy wheels) Racing LIR070801 Abstract LIR070806 Chrome wheel Pool LIR070807 Oriental LIR070802 Basketball Graffiti Graffiti LIR070807 Creative LIR070803 Basketball 2 E EL LOCKS (choose only one option) Push-to-Lock (1) (in combination with SA frame short and 24" wheel -> only with COG 2.3) Knee lever wheel lock (1) (in combination with SA frame short and 24" wheel -> only with COG 2.3)	123 123 123 123 123 123 123
IR070317 IR070327 IR070600 IR070601 IR070602 IR070831 IR070824	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Extra close = 7mm (only with stainless steel handrim; not with lightweight and drumbrake wheel and 22" wheel) Close = 17mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) Wide = 27mm (only with stainless steel, not with drumbrake wheel, lightweight wheel and 22" wheel) EEL CAMBER (choose only one option) Wheel camber 0° (choose only one option) Wheel camber 1° L/R070603 ○ Wheel camber 3° Wheel camber 2° L/R070604 ○ Wheel camber 4° (not with spinergy wheels) Transparent (not with spinergy wheels) Racing L/R070801 □ Abstract L/R070809 □ Dirt Race Pool L/R070807 □ Creative L/R070802 □ Basketball Graffiti L/R070807 □ Creative L/R070803 □ Basketball 2 EL LOCKS (choose only one option) Push-to-Lock (1) (in combination with SA frame short and 24" wheel -> only with COG 2.3)	123 123 123 123 123

(1) Not in combination with SA frame short and 24" wheel

ACCESSORIES

 LIR090000
 ●
 Tool kit

 LIR090019
 □
 Caddy

 LIR090030
 □
 Back pack

 LIR090024
 □
 High pressure pump

 LIR090025
 □
 Air pump

 LIR090025
 □
 Air pump

 LIR090026
 □
 Mobile phone pocket

COLOURS	Please consult our colour catalogue to review your colour choice

		Frame	Fork	Hand rim	Hub/rim (4)
		0	£47	£64	£172
White	01	0			
Brilliant Silver	02	0			
Brilliant Lime	07	0			
Matt Marine	16	0			
Matt Red	23	0			
Black (RAL 9005)	29	0			
Dark chocolate metallic	34	0			
Mars Red (Orange)	37	0			
Matt Anthracite	42	0			
Azure Blue	43	0			
Silver texture	26	0			
Silver matt	03	0			
Silver	04	0			
Sun Yellow (RAL1018)	05	0			
Matt Lime	08	0			
Blue	14	0			
Brilliant Marine	15	0			
Brilliant Purple	19	0			
Matt Purple	20	0			
Red Ruby	21	0			
Brilliant Red	22	0			
Tutti Frutti orange	24	0			
Graphite metallic	27	0			
Platinum metallic	28	0			
Matt black	31	0			
Signal White	32	0			
Pink	33	0			
Skyblue	35	0			
Cyan metallic	36	0			
Cappuccino	39	0			
Kiwi	40	0			
Flamingo-Glitter	41	0			

(4) Only available with universal wheel

(4) Only available with universal wheel				
STYLE PACK - ANODISED COLOURED PACKAGE - Castor fork and axle plate				
LIR100502	0	Silver Matt		
LIR100501	0	Orange		
LIR100503	0	Black		
BUILT-4-ME				

Quickie Life R - Base Price	£1,375		
Option price	£		
Exclusive VAT	£		
VAT.	£		
Total Price	£		

£

57

57

69

13

22


builtame


The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

IMPORTANT: All measurements measured without seat cushion! SW Seat width (SW): a) For the user: Allow space of sideguard to pass vertically between hip and sideguard on each side. (approx. 1 - 2cm altogether) b) On the wheelchair: From outside frame tube to outside frame tube. Seat depth (SD): a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 3 - 6 cm). Care must be taken with adj. upholstery. b) On the wheelchair: From back tube to front of seat upholstery. Back height (BH): Measured from the seat, including cushion, to no more than one finger (1-2 cm) below the shoulder blade. a) For the user: Important: The back height depends on the degree of the disability. b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery. в Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably. Lower Leg Length (LLL): measurements ± 2 cm With legs angled right, from back of knee to bottom of shoe sole. a) For the user: b) On the wheelchair: From front of seat to top of footrest. Remember: To include the cushion's height.

Technical Data Overview:

Setting of the chair below is: Seat Depth 50cm , front SH 49 cm, 6" castors and back SH 45 cm, 24" wheels





Swing-Away Frame

Weights:

Minimum weight: approx. 11 kg

(90

Back angle

Fixed Front Frame

Overall width with: For 0° camber: For 2° camber: For 4° camber:

LIR030015

Angle adjustable back

-12° to 8°

24" rear wheel SW + 20 cm SW + 22 cm SW + 28 cm



LIR030202 Integral push handles short



LIR030203 Fold down push handles



LIR030204

Height adjustable

push handles



LIR030301 Adjustable

backrest upholstery

LIR030303 Adjustable backrest upholstery



Shallow Contour

(SC)





Deep

Contour

(DC)

Posterior Deep Contour (PDC)



JAY020002 JAY Basic







JAY020001 JAY Easy Visco (picture shown without upholstery)

JAY020004 JAY Lite (picture shown without upholstery)



OF_QUICKIE_LIFE RIGID_RETAIL_01.04.17 REV1

Mid

Contour

(MC)



LIR040051 Height

adjustable, armpad

long



LIR040052 Tool height adjustable armrest



LIR040107 Sideguard composite detachable





LIR040102 Sideguard alu without fender

LIR040103 Sideguard alu with fender



LIR010010 (75°) Life R FF



LIR010015 Life R SA



LIR010011 (85°) Life R FF



LIR010016 Active frame (85° with 2cm inset)



EXO



LIR030317 EXO PRO backrest sling



LIR050008 Xenon Style hanger 70°/80°



LIR050032 Platform footplate lightweight angle

& depth adjustable composite flip-up



LIR050005 Helix Style hanger 70°/80°



LIR050011 Elevating legrest



LIR050025 Platform lightweight footplate composite



LIR050020 Divided footplate composite



LIR010500 Handbike Axle

LIR090010 Transit

LIR050022 Divided

footplate aluminum




LIR050023 Platform, angle and depth adjustable; flip-up, aluminium

LIR090009

Crutch holder







LIR090006 Anti-tip swing-away

LIR090100 Crash Test Option

wheels

OF_QUICKIE_LIFE RIGID_RETAIL_01.04.17 REV1

LIR090003 Tip assist



LIR070001 Universal wheel





LIR070002 Design wheel





LIR070003 Lightweight wheel



LIR070005 Spinergy wheels



LIR070008 Drum brake wheels

LIR070101 Right Run Tyre



LIR070102 Solid Tyre

Marathon Plus Tyre



LIR070104



Supergrip



LIR070208 Max Grepp



LIR060005 Push to Lock



LIR060001 Standard wheel lock



LIR060002 Knee lever wheel lock



LIR060003 Compact wheel lock



LIR060011 Wheel lock extension



LIR060006

One arm wheel lock

LIR090019 Caddy



LIR090030 Back Pack



LIR060010 Extension for

knee lever, slip on and swing

LIR090024 High Pressure Pump



LIR090025 Air Pump



LIR090026 Mobile Phone Pocket

LIR070207