



Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online spares available at: www.invacare.co.uk

JANUARY 2017

Customer Ref:	Account No :	Built in Switzerland
Contact No:	Order No :	
Delivery address :	Order Qty :	
	Order Date :	

the k-series titanium

designed for life

The
Prestige
Collection

Contemporary designs and precision
in Titanium & Carbon

Standard Features



- **Maximum user weight 130kg (20.5 stone) *New increased weight limit***
- Active Rigid Wheelchair with Height Adjustable Aluminium Rigid Footrest
- Multiple adjustments, Front & Rear Seat Heights and Centre of Gravity
- Titanium Front Frame 75° or 90° Front Angle
- Standard Seat Upholstery
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims & Schwalbe Black & Grey Pneumatic Tyres
- **Choice of 10 Seat Widths 320mm to 500mm *New 320mm & 500mm seat widths from February 1st!***
- **Choice of 5 Seat Depths 350mm to 450mm *New 350mm seat depth from February 1st!***
- Range of Front Seat Heights from 480mm to 520mm
- Range of Rear Seat Heights from 380mm to 490mm
- Aluminium Lockdown Folding, Angle & Height Adjustable Backrest
- **Black Nylon with Reflective Trim, Tension Adjustable Upholstery *Available from February 1st***
- Without Push Handles, Carbon Clothesguards
- Aluminium Axle Tube with 3° Camber
- **Black Comfort Front Castor *New lighter weight!***
- Standard Brake Lever Bent
- Tool Kit

Standard Base Price £2,085

	X	Please make your selection with a cross in the box	◆ Standard feature	○ Free of Charge
Code		Description		Retail
DDZ0000		Kuschall® K-series Titanium Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM		P.O.A.

TITANIUM FRAME

DDA0287		K Series Titanium 75° Front Frame sand blast finish (No paint finish available) Footplate width = seat width less 120mm (V style front frame)	◆
DDA0292		K Series Titanium 90° Front Frame sand blast finish (No paint finish available) Footplate width = seat width less 120mm (V style front frame)	○

SEAT WIDTH (SB) *New 320mm & 500mm seat widths and 350mm seat depth will be available from February 1st*

		Seat Width in mm										
		320mm	340mm	360mm	380mm	400mm	420mm	440mm	460mm	480mm	500mm	
		DDA0122	DDA0124	DDA0126	DDA0128	DDA0130	DDA0132	DDA0134	DDA0136	DDA0138	DDA0140	
Seat Depth in mm	350mm DDA0411	○	○	○	○	○	○	○	○	○	○	<p>Matrix backrests and seat cushions are not available with 320mm & 340mm seat widths, options DDA0122 & DDA0124</p> <p>Matrix MX1 backrest is not available with 480mm & 500mm seat widths, options DDA0138 & DDA0140</p> <p>Matrix Libra cushion is compatible with seat sizes 360-500mm wide and 400-450mm deep</p> <p>Matrix Vi cushion is compatible with seat sizes 360-500mm wide and 400-450mm deep</p> <p>Seat width 360mm on Matrix Libra & Vi cushions is only available with 400mm & 420mm seat depths</p> <p>Tension adjustable seat, option DDA0611 is not possible with seat width 320mm</p>
	375mm DDA0414	○	○	○	○	○	○	○	○	○	○	
	400mm DDA0417	○	○	○	○	○	○	○	○	○	○	
	425mm DDA0420	○	○	○	○	○	○	○	○	○	○	
	450mm DDA0423	○	○	○	○	○	○	○	○	○	○	
Footplate width = Seat width less 120mm		Width between clothes guards = Seat Width + 15mm			Seat widths 440mm - 500mm and seat depth 450mm are not available with light seat upholstery, option DDA0615							


Order No :

Customer Ref :

SEAT POSITION (SP) Note: Position 1 is the most active position

DDA0461	Position 1 = 140mm	Positions 1 & 2 are not compatible with seat depth 350mm, option DDA0411
DDA0462	Position 2 = 125mm	
DDA0463	Position 3 = 110mm	
DDA0464	Position 4 = 95mm	
DDA0465	Position 5 = 80mm	

The seat position can be moved forward and backward along the frame to achieve a more active or stable rear wheel position.



BACK HEIGHT (RH)

Back Height in mm							
270mm DDA0548	<input type="radio"/>	285mm DDA0580	<input type="radio"/>	300mm DDA0550	<input type="radio"/>	315mm DDA0503	<input type="radio"/>
330mm DDA0506	<input type="radio"/>	345mm DDA0509	<input type="radio"/>	360mm DDA0512	<input type="radio"/>	375mm DDA0514	<input type="radio"/>
390mm DDA0516	<input type="radio"/>	405mm DDA0518	<input type="radio"/>	420mm DDA0520	<input type="radio"/>	435mm DDA0522	<input type="radio"/>
450mm DDA0524	<input type="radio"/>	465mm DDA0526	<input type="radio"/>	480mm DDA0528	<input type="radio"/>		

Option DDA0772 to suit Matrix or fixed backrest with rounded back bar or DDA0773 to suit Matrix or fixed backrest with horizontal back bar are only available in aluminium. Backrest height is 285mm, option 0580 must also be selected

Back height 270mm is not available with Height adj rear set push handles, option DDA0703

In combination with tubular armrests, back height of between 270mm and 330mm are only possible with fixed push handles long or short, or without push handles

FRONT SEAT-TO-FLOOR (SHv)

Front Seat Height in mm							
450mm DDA0650	<input type="radio"/>	480mm DDA0651	<input type="radio"/>	500mm DDA0652	<input type="radio"/>	510mm DDA0653	<input type="radio"/>
		520mm DDA0654	<input type="radio"/>				

REAR SEAT-TO-FLOOR (SHh)

Rear Seat Height in mm							
380mm DDA0943	<input type="radio"/>	390mm DDA0944	<input type="radio"/>	400mm DDA0945	<input type="radio"/>	410mm DDA0946	<input type="radio"/>
420mm DDA0947	<input type="radio"/>	430mm DDA0948	<input type="radio"/>	440mm DDA0949	<input type="radio"/>	450mm DDA0950	<input type="radio"/>
460mm DDA0951	<input type="radio"/>	470mm DDA0952	<input type="radio"/>	480mm DDA0953	<input type="radio"/>	490mm DDA0954	<input type="radio"/>

Armrests DDA1416 & DDA1421 are not available with rear seat heights 380mm - 410mm

25" rear wheels not available on rear seat height 380mm

26" rear wheels not available on rear seat heights 380mm and 390mm

KNEE-TO-HEEL LENGTH (UL)

Knee to Heel in mm							
290mm DDA1670	<input type="radio"/>	300mm DDA1671	<input type="radio"/>	310mm DDA1672	<input type="radio"/>	320mm DDA1673	<input type="radio"/>
330mm DDA1674	<input type="radio"/>	340mm DDA1675	<input type="radio"/>	350mm DDA1676	<input type="radio"/>	360mm DDA1677	<input type="radio"/>
370mm DDA1678	<input type="radio"/>	380mm DDA1679	<input type="radio"/>	390mm DDA1680	<input type="radio"/>	400mm DDA1681	<input type="radio"/>
410mm DDA1682	<input type="radio"/>	420mm DDA1683	<input type="radio"/>	430mm DDA1684	<input type="radio"/>	440mm DDA1685	<input type="radio"/>
450mm DDA1686	<input type="radio"/>	460mm DDA1687	<input type="radio"/>	470mm DDA1688	<input type="radio"/>	480mm DDA1689	<input type="radio"/>

On 75° Titanium frames: Maximum Knee to heel (UL) must be front seat height minus 30mm

On 90° Titanium frames: Maximum Knee to heel (UL) must be front seat height minus 40mm

Knee to heel must be measured taking away the cushion thickness




Knee to heel lengths of less than 390mm in certain configurations could be delivered with an upmounted footplate.



Please refer to compatibility table at the end of this order form for configurations where the footplate will be standard mounted.

BACKREST

BACKREST MATERIAL

DDA0730	Aluminium		◆
DDA0731	Titanium (Weight saving approx. 150g)	(NC: 0703,0772,0773)	£165

BACKREST TYPE			
DDA0770	Standard backrest (NC: 0733)	Standard backrest is not compatible with Matrx backrests	◆
DDA0772	Backrest to suit Matrx or fixed backrests. Rounded back bar Backpost height 285mm, supplied without upholstery (NC: 0751,0702,0703,0704)		○
DDA0773	Backrest to suit Matrx or fixed backrests. Horizontal back bar Backpost height 285mm, supplied without upholstery (NC: 0751,0702,0703,0704)		○
Backrest Type <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>DDA0770</p> <p>Standard backrest supplied with upholstery of choice.</p>  </div> <div style="text-align: center;"> <p>DDA0772</p> <p>Rounded horizontal bar welded lower to accommodate a Matrx or fixed backrest, supplied without upholstery.</p>  </div> <div style="text-align: center;"> <p>DDA0773</p> <p>Straight horizontal bar welded lower to accommodate a Matrx or fixed backrest, supplied without upholstery.</p>  </div> </div>			
MATRIX BACKREST (Hardware is supplied mounted to the backposts with the backrest supplied in the box with the wheelchair, extra leadtime applies)			
DDA0753	Matrx MX1 with Dual Mount Q/R hardware Height of backrest 230mm	MX1 backs are compatible with seat widths 360mm - 460mm	£595
DDA0754	Matrx MX1 with Dual Mount Q/R hardware Height of backrest 310mm		£595
DDA0755	Matrx MX1 with Dual Mount Q/R hardware Height of backrest 410mm		£595
DDA0756	Matrx Elite Deep with Easy-set mounting hardware Height of backrest 310mm	Compatible with seat widths 360mm - 500mm	£450
DDA0758	Matrx Elite Standard with Easy-set mounting Height of backrest 260mm	Compatible with seat widths 360mm - 500mm	£406
DDA0760	Matrx Elite Standard with Easy-set mounting Height of backrest 360mm	Compatible with seat widths 360mm - 460mm	£406
BACK UPHOLSTERY			
DDA0722	Black & Grey nylon upholstery cover, tension adjustable back Available until 31st January		◆
DDA0726	Premium black nylon with reflective trim upholstery cover, tension adjustable back New option! Available from February 1st		◆
DDA0735	Aero, breathable spacer upholstery with tension adjustable back		£180
DDA0769	Without backrest upholstery		○
PUSH HANDLES			
DDA0750	Without push handles		◆
DDA0751	Fixed push handles short		£107
DDA0702	Fixed push handles long		£107
DDA0703	Height adjustable, rear set		£204
DDA0704	Foldable push handles		£159
DDA0733	Height adjustable integrated push handles, for without upholstery		£176
BACKREST ANGLE			
DDA0707	74° Angle from the seat		○
DDA0718	78° Angle from the seat		○
DDA0709	82° Angle from the seat		◆
DDA0719	86° Angle from the seat		○
DDA0711	90° Angle from the seat		○
SEATING			
SEAT UPHOLSTERY			
DDA0610	Standard black nylon with one 5cm wide central velcro band (loop)		◆
DDA0615	Light mesh seat upholstery with one 5cm wide central velcro band (loop) (Weight saving approx 77g)		£55
DDA0611	Tension adjustable seat with one 5cm central velcro band (loop)		£36
SEAT BAG/POUCH			
DDA0606	Seat Bag/Pouch (Mounted underneath seat, removable)		£59
SEAT CUSHION			
DDA0600	Seat cushion 6cm foam with visco layer		£53
DDA0662	Matrx Libra with Black Smooth cover Very High risk pressure & positioning cushion	Matrx Libra is compatible with seat sizes 360-500mm wide & 400-450mm deep	£319
DDA0663	Matrx Vi with Black Meshtex cover High risk pressure & positioning cushion	Matrx Vi is compatible with seat sizes 360-500mm wide & 400-450mm deep	£335
FOOTREST			
FOOTREST TYPE			
DDA1508	Foot tube rigid - Aluminium (NC: 1570)		◆
DDA1509	Foot tube rigid - Titanium (Not possible with upmounted footrest) Weight saving approx. 150g (NC: 1570)		£149
DDA1570	Carbon footplate, angle adjustable (NC: 1513)		£165
FOOT TUBE COVER			
DDA1513	Foot tube cover select with foot tube rigid options only		£30
CLOTHESGUARDS/MUDGUARDS			
DDA1401	Carbon clothes guards (NC: 1408)		◆
DDA1408	Carbon mud guards (NC: 1416,1421)		£226

ARMRESTS			
DDA1416		Armrest, height adjustable, short pad, non locking, without clothesguards	£132
DDA1421		Armrest, height adjustable, long pad, non locking, without clothesguards	£132
TUBULAR ARMREST: If tubular arms are required, in combination with back heights of 270-330mm only fixed or without push handles are available			
DDA1411		Tubular armrest. Height adjustable, removable, non-locking, swing-away & comfort padded	£193
		DDA1416 DDA1421 Height adjustable	 DDA1411 Tubular armrest
COLOUR-POWER-SET (CPS)			
CPS comprises of rear wheel rims, wheel hub and Q/R push buttons, castor forks, castor housing caps, seat module caps and backrest plate			
DDA0330		Colour-Power-Set techno-anthracite	£180
DDA0334		Colour-Power-Set b-blue	£180
DDA0329		Colour-Power-Set comet red	£180
DDA0336		Colour-Power-Set arctic blue	£180
DDA0337		Colour-Power-copper glaze	£180
DDA0338		Colour-Power-chrome Starec wheel rim supplied in black when Chrome CPS is selected	£180
DDA0339		Colour-Power-champagne	£180
DDA0340		Colour-Power-olive	£180
FRONT WHEEL (5" Front castors are not available with a 90° front frame)			
DDA0800		75mm x 25mm (3" x 1") Supersport	○
DDA0801		100mm x 30mm (4" x 1.2") Everyday wheel with black tyre <i>New lighter design, weight saving 130g per pair!</i>	○
DDA0803		100mm x 25mm (4" x 1") Starec techno-anthracite hub, black tyre	£67
DDA0807		100mm x 25mm (4" x 1") Starec b-blue hub, black tyre	£67
DDA0808		100mm x 25mm (4" x 1") Starec comet red hub, black tyre	£67
DDA0830		100mm x 25mm (4" x 1") Starec copper glaze hub, black tyre	£67
DDA0831		100mm x 25mm (4" x 1") Starec arctic blue hub, black tyre	£67
DDA0809		100mm x 25mm (4" x 1") Starec black hub, black tyre	£67
DDA0861		100mm x 25mm (4" x 1") Starec chrome hub, black tyre	£67
DDA0825		100mm x 25mm (4" x 1") Starec champagne hub, black tyre	£67
DDA0826		100mm x 25mm (4" x 1") Starec olive hub, black tyre	£67
DDA0860		100mm x 30mm (4" x 1.2") Comfort wheel with black tyre <i>New lighter design, weight saving 130g per pair!</i>	○
DDA0796		100mm x 36mm (4" x 1.4") Softroll aluminium, black hub, black tyre <i>New option! Available from 1st February</i>	£75
DDA0797		100mm x 36mm (4" x 1.4") Softroll aluminium, silver hub, black tyre <i>New option! Available from 1st February</i>	£75
DDA0810		125mm x 30mm (5" x 1.2") Everyday wheel with black tyre <i>New lighter design, weight saving 260g per pair!</i>	○
DDA0863		125mm x 30mm (5" x 1.2") Comfort wheel with black tyre <i>New lighter design, weight saving 260g per pair!</i>	◆
DDA0813		125mm x 25mm (5" x 1") Starec techno-anthracite hub, black tyre	£67
DDA0817		125mm x 25mm (5" x 1") Starec b-blue hub, black tyre	£67
DDA0818		125mm x 25mm (5" x 1") Starec comet red hub, black tyre	£67
DDA0833		125mm x 25mm (5" x 1") Starec copper glaze hub, black tyre	£67
DDA0832		125mm x 25mm (5" x 1") Starec arctic blue hub, black tyre	£67
DDA0819		125mm x 25mm (5" x 1") Starec black hub, black tyre	£67
DDA0862		125mm x 25mm (5" x 1") Starec chrome hub, black tyre	£67
DDA0827		125mm x 25mm (5" x 1") Starec champagne hub, black tyre	£67
DDA0828		125mm x 25mm (5" x 1") Starec olive hub, black tyre	£67
DDA0798		125mm x 36mm (5" x 1.4") Softroll aluminium, black hub, black tyre <i>New option! Available from 1st February</i>	£75
DDA0799		125mm x 36mm (5" x 1.4") Softroll aluminium, silver hub, black tyre <i>New option! Available from 1st February</i>	£75
ONE ARM DRIVE SYSTEM (Complete wheel system supplied with pneumatic tyres and grey aluminium handrim and set at 0 degree camber)			
DDA1118		One-arm-drive right side (NC: 0276,0278,1200,1202,0909,0271,0272)	£439
DDA1119		One-arm-drive left side (NC: 0276,0278,1200,1202,0909,0271,0272)	£439
REAR WHEEL FIXATION			
DDA0250	<input checked="" type="checkbox"/>	Standard rear wheel position	◆

Order No :

Customer Ref :




Kuschall K-SERIES Titanium
4 of 8Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

CAMBER AXLE TYPE			
10° Camber on Vario-Ax only locks with an Active Brake			
DDA0276	Vario-Ax, adjustable Camber 1/3/7/10°	(NC: 0927,1302)	£230
DDA0277	Standard axle		◆
DDA0278	Carbon axle (reduces weight by 100g)	(NC: 1705)	£170
CAMBER ANGLE			
DDA0270	0° camber		○
DDA0271	3° camber		◆
DDA0272	6° camber		○
QUAD RELEASE AXLE			
DDA0909	Quad quick release axle	(NC: 0906,0912,0927)	£69
REAR WHEEL SIZE			
DDA0902	24" wheel	(NC: 0918,0912)	◆
DDA0925	25" wheel	(NC: 0906,0908,0913,0915,0927)	○
DDA0903	26" wheel	(NC: 0906,0908,0912,0918,0913,0927,1303,1705)	○
REAR WHEEL TYPE <i>New 25" Spinergy LXX wheel size! Available from 1st February</i>			
DDA0915	24", 26" Kuschall Starec with cross spokes (hub colourless and rim black or in CPS if selected)	(NC: 1399)	◆
DDA0908	24" High performance wheel (Starec hub, spokes & rim black, hub only in CPS if selected)	(NC: 1004,1006,1007,1399)	£204
DDA0918	25" High Performance wheel (Starec hub, spokes & rim black, hub only in CPS if selected)	(NC: 1014,1002,1004,1006,1007,1102,1104,1106,1200,1202,1208,1399)	£293
DDA0913	24" Mountain Bike, fitted with specific 24" x 1.75" tyre Choice of Aluminium or Supergripp handrim CPS not available	(NC: 1014,1002,1004,1006,1011,1010,1007,1104,1106,1120,1202,1208,1399)	£199
DDA0906	24" Spinergy LXX wheel (Black lightweight hub, 18 spokes black, No CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1004,1006,1007,1200,1202,1208,1399)	£490
DDA0912	25" Spinergy LXX wheel (hub, rim & spokes black) CPS not offered Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	<i>New option! From 1st February</i> (NC: 1002,1004,1007,1200,1202,1208,1399)	£490
SWO0907	24" or 25" Spinergy SPOX wheel (18 spokes in black, no CPS) Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1004,1006,1007,1200,1202,1208,1399)	£370
SWO0909	24" or 25" Spinergy LX wheel (12 spokes in black no CPS). Coloured spokes are available via MyKuschall, please indicate requirements in the space provided at the end of the form.	(NC: 1004,1006,1007,1200,1202,1208,1399)	£580
DDA0927	24" Wheel with integrated hub brakes (Silver spokes with black hub and rim) CPS not available	(NC: 1004,1006,1007)	£550
REAR WHEEL TYRE			
DDA1014	24", 25", 26" Schwalbe rightrun black & grey pneumatic tyre		◆
DDA1002	24" Profile 7 bar grey pneumatic tyre		○
DDA1004	24" Solid tyre, profil, grey		£53
DDA1006	24" Solid tyre black (KIK)		£70
DDA1011	24", 25" Schwalbe One V Guard, puncture resistant black pneumatic tyre		£70
DDA1010	24", 25", 26" Marathon Plus black pneumatic tyre with Smartguard 5mm layer of protective rubber infill	(NC: 1020)	£80
DDA1007	24" Solid tyre light grey		£53
ANTI-FLAT PROTECTION			
DDA1020	Anti-flat tyre tube protection		£17
HANDRIM			
DDA1102	24", 26" Supergripp, long tab, 2 hole set at 3 cm distance		£165
DDA1104	24", 26" Steel polished, short tab, 1 hole set at 3 cm distance		£50
DDA1106	24" Titanium, short tab, 1 hole set at 3 cm distance		£140
DDA1120	24", 25" Surge LT 30mm dist		£237
DDA1121	24" Carbolife Gekko black anodise coated (fully integrated rubber strip for extra grip) mounted at 3cm distance	<i>New option! From 1st Feb</i>	£265
DDA1122	24" Carbolife Curve black anodise coated (unique shaped profile for low-effort grip) mounted at 3cm distance	<i>New option! From 1st Feb</i>	£237
DDA1113	24", 25", 26" Light Alu grey, short tab, 1 hole set at 3 cm distance		◆
DDA1114	24", 25", 26" Light Alu grey, long tab, 2 hole set at 4 cm distance		○
DDA1117	24", 25", 26" Light Alu black, short tab, 1 hole set at 3 cm distance		£33

Order No :

Customer Ref :

Kuschall K-SERIES Titanium
5 of 8Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

SPOKE GUARDS			
DDA1200		24", 26" Transparent	£101
DDA1202		24" Kuschall Black with white logo	£101
DDA1208		24" Transparent and white with Kuschall logo in black <i>New option! Available from 1st February</i>	£101
SAFETY			
DDA1300		Push to lock brake lever bent	◆
DDA1302		Performance brake (NC: 1310)	£62
DDA1303		Active/Scissor brake (NC: 1310)	£62
DDA1399		Without brake Can only be selected with DDA0927, wheel with hub brakes	○
 DDA1300 Push to lock brake, lever bent  DDA1302 Performance brake  DDA1303 Scissor/active brake			
SAFETY OPTIONS			
DDA1310		Extension lever for standard brake	£40
DDA1730		Seat belt	£59
ANTI TIPPER			
DDA1702		Anti-tipper tube right	£98
DDA1703		Anti-tipper tube left	£98
DDA1704		Anti-tipper tube both sides	£196
DDA1705		Active Anti-tipper	£165
ACCESSORIES			
DDA1715		Air Pump	£11
DDA1712		Kuschall watch, right side, mounted in castor housing (NC: 1713)	£85
DDA1713		Kuschall watch, left side, mounted in castor housing	£85
DDA1717		Tool Kit	◆
DDA1739		Front frame protectors 1 pair (Not with upmounted footplate)	£27
DDA1746		Mobile phone holder	£22
DDA1734		Mountain bike wheels with bag, includes quick release axles	£220
PRICE			
			Total Price
Non Conforming Items Guide			
DDA0702		Push handles fixed long	
DDA0703		Height adjustable rear set push handles	
DDA0704		Foldable push handles	
DDA0733		Height adjustable integrated push handles	
DDA0751		Push handles fixed short	
DDA0772		Without backrest upholstery	
DDA0906		24" Spinergy LX wheels	
DDA0908		24" High Performance wheel	
DDA0912		25" Spinergy LKX wheels	
DDA0913		24" Mountain Bike wheel	
DDA0915		24", 26" kuschall Starec	
DDA0918		25" High Performance wheel	
DDA1001		Light wheel 7 bar	
DDA1002		Profile tyre 7 bar	
DDA1004		Solid tyre, profil, grey	
DDA1006		Solid tyre (KIK) black	
DDA1007		Solid tyre Light, grey	
DDA1010		Marathon Evolution tyre	
DDA1011		Schwalbe One tyre	
DDA1020		Anti-flat tyre tube protection	
DDA1102		Supergripp handrim, 24", 26" dist. 3 cm	
DDA1104		Steel polished handrim, 24", 26" dist. 3 cm	
DDA1106		Titanium handrim, 24 "dist. 3 cm	
DDA1120		Surge LT Handrim	
DDA1200		Transparant Spokeguards	
DDA1202		Kuschall Spokeguards	
DDA1208		24" Transparent and white with Kuschall logo in black	
DDA1302		Performance brake	
DDA1303		Active brake	
DDA1310		Extension lever for standard brake	
DDA1399		Without brakes	
DDA1408		Carbon mud guards	
DDA1411		Tubular armrest, height adjustable, removable, swing-away, comfort padded	
DDA1416		Siderest, height adjustable, short	
DDA1421		Siderest height adjustable, long	
DDA1570		Carbon footplate angle adjustable	
DDA1705		Active Anti-tipper	
DDA1713		Kuschall watch left	

Order No :

Customer Ref :

Kuschall K-SERIES Titanium
6 of 8Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

TITANIUM K-Series Frame Compatibility Table

The dimensions within this table give distances where the footplate will be standard mounted.

Any measurements outside of this table may result in the chair being delivered with an up-rounder footplate.

Frame Type	24" Rear Wheels:			26" Rear Wheels:			28" Rear Wheels:		
	Front seat to floor (mm)	Knee to heel (mm)		Front seat to floor (mm)	Knee to heel (mm)		Front seat to floor (mm)	Knee to heel (mm)	
		Std footplate	Flip-Up footplate		Std footplate	Flip-Up footplate		Std footplate	Flip-Up footplate
24" Titanium	580	440-500	150	620	480-540	150	660	520-580	150
	600	460-520	150	640	500-560	150	680	540-600	150
	620	480-540	150	660	520-580	150	700	560-620	150
26" Titanium	600	460-520	150	640	500-560	150	680	540-600	150
	620	480-540	150	660	520-580	150	700	560-620	150
	640	500-560	150	680	540-600	150	720	580-640	150




My KÜSCHALL special build instructions

Please fill out the required measurements in the table if applicable and give full details of the special request in the space provided below.

Customized Measurements


















Seat Width (SB)	
Seat Depth (ST)	
Back Height (RH)	
Front Seat Height (SHv)	
Rear Seat Height (SHh)	
Knee to Heel (UL)	
Backrest Angle (RW)	
Chair Length/ Chair Width (GL/GB)	
Client Weight	
Client Height	

SUPPORT FOR MEASUREMENTS / MYKÜSCHALL REQUESTS



Order No :

Customer Ref :

		User measurement*	Wheelchair measurement
 <p>Seat width (SB)</p> <p>The seat width determines the user's comfort and performance. It must be wide enough to ensure good weight distribution, but narrow enough to allow easy manipulation of the wheelchair.</p>		<ul style="list-style-type: none"> ➤ Let the person sit on a flat surface. ➤ Position vertical blocks left and right of the hips and measure the distance between the blocks. ➤ Add approximately 2 cm to cater for winter clothing for the wheelchair measurement. 	 <ul style="list-style-type: none"> ➤ Remove the seat cushion. ➤ Measure the distance between the outer edges of the seat cover at the rear of the wheelchair. <p>Ultra-Light / Compact: For the seat width add 0,5 cm to the measured distance.</p>
 <p>Seat depth (ST)</p> <p>A correct seat depth measurement enables an even distribution of the user's weight across the whole seating base, thereby avoiding pressure points and skin irritation in the area behind the knee.</p>		<ul style="list-style-type: none"> ➤ Let the person sit on a flat surface. ➤ Measure the distance from the rear most point of the buttocks/lower back to the hollow at the back of the knee. ➤ Subtract approximately 4 cm (depending on user's physique and the legrest angle) to give the wheelchair measurement. 	 <ul style="list-style-type: none"> ➤ Remove the seat cushion. ➤ Measure the distance from the front edge of the backrest tube (without upholstery) to the front edge of the seat cover.
 <p>Leg length (UL)</p> <p>The leg length measurement establishes the correct height for the footplates, which will make the most of the legrests.</p>		<ul style="list-style-type: none"> ➤ Let the person sit on a flat surface. ➤ Measure the distance from the heel of the shoe to the hollow at the back of the knee. ➤ Subtract any cushion thickness to give the wheelchair measurement. 	 <ul style="list-style-type: none"> ➤ Remove the seat cushion. ➤ Measure the distance from the back edge of the footplate to the front edge of the seat cover (without sagging of cover).
 <p>Front seat height (SHv)</p> <p>A correct seat height measurement will ensure the optimum driving efficiency and can give more clearance to fit underneath tables.</p>		<ul style="list-style-type: none"> ➤ Let the person sit on a flat surface. ➤ Measure the vertical distance from the ground to the hollow at the back of the knee. ➤ This measurement should not be less than the leg length (UL) + 4 cm to allow sufficient footplate clearance above the ground. ➤ Subtract any cushion thickness to give the front seat height (SHv) wheelchair measurement. 	 <ul style="list-style-type: none"> ➤ Remove the seat cushion. ➤ Measure the vertical distance from the floor to the top of the front edge of the seat cover (without sagging of cover).
 <p>Rear seat height (SHh)</p>		<ul style="list-style-type: none"> ➤ Rear seat height is determined by the front seat height, the seat angle and the seat depth. 	 <ul style="list-style-type: none"> ➤ Remove the seat cushion. ➤ Measure the vertical distance from the floor to the top of the rear edge of the seat cover (without sagging of cover).
 <p>Backrest height (RH)</p> <p>The backrest height is dependent on the user's degree of disability. A correct backrest height should maintain a good posture whilst allowing the permitted freedom of movement.</p>		<ul style="list-style-type: none"> ➤ Let the person sit on a flat surface. ➤ Measure the vertical distance from the seat platform to the scapulas. ➤ If more trunk support is required, measure from the seat platform up to the required level of support. ➤ If less trunk support is required reduce the backrest height in order to improve activity. 	 <ul style="list-style-type: none"> ➤ Remove the seat cushion. ➤ Remove back cover. ➤ Measure the distance from the top of the seat frame to the top of the backrest straps.

* To be done by a specially trained person